

# Visualizations as Data Input?

Samuel Huron \*  
Telecom Paris - Institut  
Polytechnique de Paris  
CNRS I3

Wesley Willett †  
University of Calgary  
Calgary, AB, Canada




Figure 1: A small collection of input visualizations: a) reverse bar-chart by *Stefan Sagmeister*, b) parallel coordinates data strings by *Domestic Data Streamers*, c) wedding table mock-up, d) matrix poll for planning meeting from *Framadate*, e) bar chart in a bullet journal, f) physical scatterplot by *Jose Duarte*, g) to-do list, h) planning board (commercial product), i) spectrum from *consider.it*, j) tree of Post-it notes, k) scatterplot of Post-it notes, l) schedule with Lego blocks by *Vitamins*.

## ABSTRACT

We examine “input visualizations”, visual representations that are designed to collect (and represent) new data rather than encode pre-existing datasets. Information visualization is commonly used to reveal insights and stories within existing data. As a result, most contemporary visualization approaches assume existing datasets or data structures as the starting point for design, through which that data will be mapped to visual encodings to produce final visualizations. Meanwhile, the implications of visualizations as inputs and as data sources have received extremely little attention—despite the existence of visual and physical examples stretching back centuries—and the benefits, trades-offs, design patterns, and even the language necessary to describe them remain unexplored. In this paper we argue for the deeper examination of input visualizations, highlighting a set of recent examples and introducing vocabulary for characterizing them. Finally, we present a series of provocations which examine some of the challenges posed by input visualizations and suggest opportunities for better understanding this type of visual representations and their potential.

## 1 INTRODUCTION

Information visualization is typically thought of as a set of methods and approaches for giving visual structure to existing datasets, leveraging visual perception to enhance the analysis and interpretation of data. In most information visualization models, pipelines, and tools, data serves as the starting point for the design or analysis process, after which designers, developers, and analysts select visual mappings to make that data more legible and actionable. Over the past 50 years, a large body of research has successfully focused on optimizing visual mappings and interactions, creating a diversity

of different visualization genres tailored to unique data, tasks, audiences, and contexts. Most of these approaches implicitly assume that 1) the data (or its characteristics) are known in advance, 2) the principle goal of the visualization is to reveal trends and features in the underlying data, and 3) data interactions through the visual structure (including filtering, computing new values, etc.) do not alter the underlying data.

Yet, a variety of visualization and visualization-like approaches exist which eschew the “data-first” orthodoxy of the academic information visualization community and instead use visualization idioms as mechanisms for data input. We define *input visualizations*—visual representations that are designed to collect (and represent) new data rather than encode pre-existing datasets. These visualizations invert traditional data encoding and design models, using visual structures to support the collection of data, the definition of new visual schemas, and the exploration of possible visual mappings. As a result, these approaches pose problems for classical information visualization reference models [6, 7], interaction taxonomies [15, 39], and design guidelines [9].

In this paper we present examples of several input visualizations which illustrate the potential and challenges posed by this approach. We then reflect on the similarities and differences between these approaches and classical output-driven information visualization. Informed by these examples, we also pose a set of provocative questions to drive discussion about the role of input visualizations, their relationship to traditional visualization designs and norms, and their utility. Finally, we call on the visualization community to help us identify additional examples of these kinds of visual structures and consider their implications.

## 2 RELATED WORK

Using information visualization to support data input has been explored in multiple domains of human-computer interaction, including work on civic participation [23, 26, 37], community engagement [14], online debate [18, 33], personal reflection [35], planning [38], and polling [13]. Some of these examples, including tools like BitPlanner [38] and Thudt et al.’s physical self-reflection

\*e-mail: samuel.huron@cybunk.com

†e-mail: wesley.willett@ucalgary.ca

### The Death of a Terrorist: A Turning Point?

President Obama's announcement Sunday night about Osama Bin Laden's death produced an outpouring of reaction. We asked readers the following questions: Was his death significant in our war against terror? And do you have a negative or positive view of this event? Readers — 13,864 of them — answered by plotting a response on the graph and adding a comment to explain the choice. Each light blue dot represents one comment. Darker shades represent multiple comments made on a single point. (Comments are no longer being accepted.) [Reveal Answer](#)




Figure 2: *The Death of a Terrorist: A Turning Point?* by the New York Times solicited readers reflections to the killing of Osama Bin Laden via interactions with a 2-dimensional scatterplot.

kits [35] (as well as a wide variety of other participatory physicalizations [10]), rely on physical construction. Meanwhile, others like Koeman et al.'s urban voting systems [23], Kriplean et al. [26] and Valkanova et al.'s [37] web-based polling tools, and scheduling systems like Framadate [13] focus on input via on-screen visualizations.

Information visualization research has also examined how visual marks can serve as interactive controls [4], including approaches like DimpVis [24] and À Table [30] in which viewers can manipulate marks to navigate between visualization views and change timespans. Similarly, “You Draw It” visualizations in which viewers articulate predictions by drawing on visualizations [22] have used input as a way of drawing attention to data values and encouraging recall. Other recent work has examined how direct manipulation interactions like changing or repositioning marks within a visualization [31] might support view transitions and visualization editing. Yet these approaches have mostly treated sketching and manipulation of visual marks as ways of interacting with datasets, rather than as mechanisms for data collection.

Within visualization, several alternative conceptual models have also hinted at the potential for visualizations as input mechanisms. Based on their examination of personal physicalization [35], Thudt et al. discuss opportunities for visualizations as a means of input—highlighting approaches that support qualitative data input via sketching or manual manipulation of attributes like the position, size, or color of visual marks. Meanwhile, Offenhuber's characterization of *autographic visualization* approaches [29] offers an alternative framework for considering visual representations that reflect environmental processes and typically lack explicit data structures or encoding pipelines. Offenhuber contrasts autographic approaches, which start with a phenomena and then introduce physical interventions (markers, legends, frames, etc.) to reveal visual traces of it, against more traditional visualization pipelines, which first collect data from a phenomenon then render that data as visualizations. Like autographic examples, input visualizations can capture and visualize information despite the absence of explicit encodings or data structures, but are explicitly *designed as interfaces*, relying on human interaction rather than environmental processes.

To our knowledge, the only information visualization model to describe data input via visualizations is Jansen and Dragicevic's *interaction model for visualizations beyond the desktop* [19]. Their model differentiates *concrete* rendering pipelines (in which existing data is rendered as a visual or physical output) from *conceptual* pipelines (which describe data and encodings implicit in the visu-



Figure 3: *Polemic Tweet* centered around a stacked bar chart (center) which visualized the labels entered as participants comment.

alization but not implemented by an explicit rendering process). Jansen and Dragicevic use this model to describe two physical input visualizations—DailyStack [34] and Michael Hunger's Lego time trackers [28]—highlighting how interaction with these visualizations can manifest both physical and virtual instantiations of new data. Michael Hunger's process and visual mapping is also detailed in Huron et al.'s exploration of *constructive visualization* [17], a paradigm in which visual representations are constructed by assembling elements that represent data. Although both Huron and Jansen's discussions indicate the potential for visualizations as input mechanisms, the implications and design possibilities of visualizations that use them remains largely unexamined.

## 3 CASE STUDIES

We illustrate the potential of input visualizations by showcasing several digital and physical examples.

### 3.1 The Death of a Terrorist: A Turning Point?

In 2011, after the killing of Osama Bin Laden, the New York Times published an interactive titled *The Death of a Terrorist: A Turning Point?*<sup>1</sup> (Figure 2). The piece was anchored in an interactive two-dimensional scatterplot with its y-axis ranging from significant (top) to insignificant (bottom) and x-axis ranging from negative (left) to positive (right). The story invited viewers to discuss the importance of the event by clicking a point in this two-dimensional space and then authoring a comment. Individual cells in the scatterplot were then colored based on the number of responses. Subsequent visitors could then hover over these cells to read the comments. During its initial run, the visualization collected 13,864 comments—all data points that did not exist when the story launched.

### 3.2 Polemic Tweet

Similarly, the visual backchannel tool *Polemic Tweet* [18] used visualizations to engage users in an evolving discussion around conference presentations (Figure 3). The Polemic Tweet interface<sup>2</sup> included a Twitter client augmented with a vertical stacked bar chart. Conference participants were invited to tweet using a specific grammar (“++” for agreement, “--” for disagreement, “==” for reference, “??” for questions). These tweets were then displayed in a vertical list below the input box and in a stacked bar chart, both colored according to the tags they included. The vertical axis of

<sup>1</sup><https://archive.nytimes.com/www.nytimes.com/interactive/2011/05/03/us/20110503-osama-response.html>

<sup>2</sup><https://polemictweet.com/rsln/polemicaltimeline.php>





Figure 4: Duarte’s *Preguntas Sobre el Barrio* used a variety of physical polling visualizations to solicit community input.

the visualization corresponded to a time window, and bar heights showed the number of tweets emitted at that particular time slot. Unlike *The Death of a Terrorist*, Polemic Tweet’s input mechanisms were not spatially overlaid with the visualization. However, the two were tightly integrated and all data visualized in the Polemic Tweet interface was generated in that immediate context.

### 3.3 Preguntas Sobre El Barrio

In *Preguntas Sobre El Barrio* (“Questions about the Neighborhood”) (Figure 4), Colombian designer Jose Duarte created multiple physical displays to engage the residents of a district and solicit opinions on issues such as transportation, security, and urban planning. These included a variety of visualization types including histograms, scatterplots, and density plots on which participants could vote using physical tokens such as stickers or balls. Similar kinds of collectively-constructed visualizations and physical polls have been widely used in participatory settings (Figure 1-a,b,f) and are perhaps the most straightforward examples of the input visualization paradigm, with individuals literally adding or changing visual marks to add new information.

### 3.4 Cairn

Finally, Gourlet and Dassè’s *Cairn* (Figure 5) was a tangible tabletop that enabled data collection, visualization, and analysis of activity in a shared makerspace [14]. However, in comparison to most other participatory examples, Cairn leveraged a much more complex visual encoding schema. Using a variety of composable physical tokens and a more complex layout, this physicalization allowed makers to record detailed information about their work in the shared space—documenting the type, duration, and form of their projects, as well as qualitative feedback about the skills and techniques they learned. This more complex encoding captured a considerable amount of information in each visual mark, while simultaneously giving contributors opportunities for creative expression as they constructed small “cairns” out of multiple tokens.

### 3.5 Case study analysis

These four case studies, as well as the examples highlighted in Figure 1, showcase a diversity of physical and digital input visualization approaches—including both straightforward examples and ones that challenge visualization norms, as well as the boundaries of our own definition of input visualizations.

**Visualization as Data Schema.** In all four case studies, the visual structure is defined by the visualization designers, and serves not only to reveal patterns but also to define the data schema. These schema are established using multiple visual variables (space, color, shape, etc.) and capture varying degrees of data complexity, ranging



Figure 5: The *Cairn* tabletop recorded information about projects created in a shared makerspace using composable physical tokens.

from simple binary choices (*Preguntas Sobre El Barrio*), to continuous and connected inputs (*The Death of a Terrorist*), category labels (*Polemic Tweet*), and complex multivariate data (*Cairn*).

**Input Mechanisms.** Our case studies also illustrate a variety of different input approaches. These include digital examples that rely on both direct manipulation on the visualization [32] (*The Death of a Terrorist*) and indirect input via interface elements closely associated with the visualization (*Polemic Tweet*). In the physical case studies the inputs are all direct, involving physical construction and/or placement of unique visual marks. However, indirect input mechanism for physical input visualizations are also possible, particularly if the visualizations are mechanically actuated.

**Why input visualizations?** All four case studies use input visualization approaches to solicit opinions, sentiments, and other data from viewers. This approach, in which input visualizations are used as survey tools, is common (but not universal) across the examples we are aware of. Other common use cases include planning (Figure 1-d,g,k), personal reflection (Figure 1-e), and supporting reasoning tasks (Figure 1-c,j).

## 4 PROVOCATIONS

In this section we present several provocations intended to initiate discussion about controversial aspects of input visualizations, including their novelty, relationship to other approaches, and utility. We hope such provocations will lead to fruitful discussions and prompt future research ideas as well as new input visualization techniques.

### 4.1 Input visualizations aren’t new!

Humans have designed artifacts that encode information into visual structures for millennia, including ones that share similarities with common visualization idioms (scatter plots, bar charts, parallel coordinates, matrices, etc.). In fact, *almost all* early examples of external visual representation of information (including tally marks, tables, astronomical diagrams, etc.) are arguably input visualizations according to our definition. Everyday tools like physical and digital calendars also fit this definition—specifying a data schema by encoding periods of time using daily, weekly, and yearly grids, then allowing individuals to define new events using that structure.

Yet despite this, the vast majority of the examples of contemporary input visualizations come from outside of the information visualization community and little research has investigated the approach. Moreover, the practical utility of input visualization approaches for polling, planning, and thinking tasks suggests that they merit further study.

### 4.2 Are these even visualizations?

One could argue that while these examples may look like visualizations, they are not. After all, most of these input visualizations don’t align neatly with garden-variety descriptions of visualization, which

usually explain visualization approaches as “visually encoding data to make it easier to understand”. (This might also have something to do with why the visualization research community hasn’t talked much about them.)

Some of the visualization research community’s most beloved definitions of information visualization incorporate enough generality to include input visualization approaches, but others leave less room for them. For example, Card et al.’s definition of visualization as “the use of interactive visual representations of data to amplify cognition.” [6], says nothing about where the data comes from and places the most weight on the more abstract goal of amplifying cognition. On the other hand, Keim et al.’s description of information visualization as “the communication of abstract data relevant in terms of action through the use of interactive visual interfaces” [21] places an emphasis on *communication* that might seem to exclude input visualizations. Data collection also doesn’t fit neatly into any of the three major goals of visualization (presentation, confirmatory analysis, and exploratory analysis) that Keim et al. identify.

One might also take the position that many of these examples *are* visualizations, but that they are trivial ones—and that considering spreadsheets, calendars, token voting systems, or bullet journals as visualization tools is reductionist or simply not useful. Yet such an assertion runs counter to a variety of recent work specifically highlighting the relevance of spreadsheets [3], bullet journals [2], and other representations as visualization tools. Moreover, doing so runs the risk of drawing a boundary around visualization that excludes most of the pre-industrial history of visualization, as well as a considerable slice of contemporary work on physicalization [11], infographics [5], and other visualization-adjacent topics.

### 4.3 Isn’t changing the data lying?

Despite recent efforts to dislodge it, visualization research and practice is still often accompanied by an ideology of data objectivity in which raw data is seen as inherently truthful [25]. This fixation on data and visualizations of it as arbiters of truth, as well as persistent concern over the potential for “lying with data” (epitomized by the Tufte’s oft-repeated *graphical integrity* principles [36] or the VIS community’s own long-running VisLies series [1]) often brings with it the implication that any tool which allows end-users to manipulate the data creates opportunities for deception. This has led to outcry over tools (including versions of Excel) that allow users to directly manipulate points in graphs to alter the underlying data tables.

Yet this disdain ignores many common and well-justified reasons for modifying data values, including tuning model parameters and projections, correcting invalid values, or inputting new ones. From this perspective, input visualizations could have considerable potential to improve data entry and cleaning. After all, data wrangling—which constitutes a huge part of the analysis process—*almost always* involves changing data [20], and visual feedback in data entry interfaces has long been viewed as an important mechanism for improving input data quality [16].

### 4.4 Could input visualizations reduce data quality?

In some obvious situations, input visualizations seem likely to make data entry easier. After all, defining two dimension in one click is certainly faster than using two sliders. However, what do we know about the potential impact of these approaches on the data gathering process, or the quality of the data they produce? In fact, one could argue that data from input visualizations is likely to be biased by the presence of existing data, or that particular input visualization designs could even encourage duplicitous data entry.

Is a visualization like “*The Death of a Terrorist?*” a poll? Maybe not. Most credible polls don’t show prior results before soliciting a response. Showing prior data in advance clearly has the potential to influence how individuals express their opinions. Additionally, showing the data in advance might encourage attempts to actively

pollute or manipulate data in situations where input visualizations permit input from large or anonymous audiences.

One could argue that not all input visualizations need to display their results before allowing the user to input data. However, for input physicalizations like *Preguntas Sobre El Barrio* or *Cairn*, doing so would be quite difficult. Moreover, hiding the data removes opportunities for viewers to calibrate their responses based on existing data (which might allow them to catch data errors at entry time) or use their inputs to respond rhetorically to existing data points (as in discourse-oriented visualizations like *The Death of a Terrorist*). In any case, better understanding how input visualizations might bias data entry or influence the opinions and behaviors of the people entering it may be a promising area for future research.

### 4.5 Is there even data here?

When do we consider data to *be* data? Does it need be recorded and encoded in a digital file or tabulated in a structured format? While some examples of input visualizations do indeed produce structured and easily-interpretable data, many others—including systems that rely on unstructured input, physical materials, or ambiguous encodings—may not. In these cases, the lack of any underlying data structure can mean that the data are manifest *only* in the visual artifact, which may or may not be easily measurable or reproducible. A lack of formalized data schemas or visual encodings can also mean that critical aspects of the data may exist only in the relationships between visual marks or in other intangible aspects of the visual representation and thus resist objective quantification.

For example, the two axes (negative↔positive and not-significant↔significant) used in *The Death of a Terrorist* lack absolute values or landmarks, and the significance of individual points is largely implied by their relationship to those around them. Physical installations like *Preguntas Sobre El Barrio* and *Cairn* introduce further ambiguity. For example, how should we interpret a mark that intersects both “yes” and “no” (Figure 4)? What information, if any, does an elaborate and intentional token stack (Figure 5) communicate if ordering isn’t formalized in the instructions? Projects like Thudt et al.’s exploration of personal physicalization [35] raise similar questions, noting that “[transforming] an experience directly into a visual and physical manifestation makes it more difficult to create alternate representations later on”.

Moreover, input visualizations, as mechanisms for collecting and displaying new information, collide with deeper epistemological discussions about the nature of “data” itself. Already, humanities researchers such as Latour [27] and Drucker [12] have criticized the implications of the term *data*, whose very etymology—from the Latin *datum* “(thing) given”—implies that information is somehow objective in nature and obscures the myriad biases, errors, and sources of uncertainty intrinsic to any attempt to observe or record external phenomena. Drucker advocates instead for the notion that all data is in fact “*capta*”, which is actively “taken” from the world and reflects the unique tools, approaches, and biases implicit in each mode of knowledge production or inquiry. The notion of *capta* and considerations of the constructivist nature of data collection and visualization production are already important veins of discussion within the visualization community. However they become even more salient in the context of input visualizations, which explicitly surface the mechanisms of data collection.

Venturing even further down the epistemological rabbit hole, some pre-digital definitions of data, including from the Diderot and d’Alembert’s 18th-century *Encyclopedia* [8], further differentiate data which are given (*data*) from “those which are unknown, and which one seeks” (*quaesita*)<sup>3</sup>. Given this perspective, one could argue that the information captured in an input visualization are only data (or *capta*) *after* they have been input. Up until that point,

<sup>3</sup><https://artflsrv03.uchicago.edu/philologic4/encyclopediae1117/navigate/5/221/>

including during the design of the visual representation, these future pieces of information remain *quæsitæ*—*sought* but not yet obtained. With these semantics in mind, perhaps we shouldn't be discussing input visualizations at all, but rather *capta* visualizations or even *quæsitæ* visualizations?

## 5 CONCLUSION

As it stands, input visualizations remain a niche and underconsidered corner of the visualization universe, but one that we suspect is full of research opportunities, including:

- Developing new **conceptual models** for visualization that better accommodate input visualizations and examine the relationship between them and other existing visualization, interaction, and analysis approaches.
- More systematically examining the **design space** of input visualizations to better understand the range of possible forms and applications.
- Assessing the extent to which input visualizations impact **data quality** as well as the **experience** of people using them.
- Developing **new tools** for authoring and deploying input visualizations, particularly within existing interfaces and workflows.
- Exploring **new applications** of input visualizations, including platforms for data entry, analysis, and structured reasoning.

With this in mind, we encourage the visualization community to further examine this space—responding to these provocations, sharing new and existing input visualizations, and building an understanding of the potential of this approach, one input at a time.

## ACKNOWLEDGMENTS

Thanks to Pauline Gourlet, Jeremy Boy, and Lora Oehlberg for their helpful discussions and input.

## REFERENCES

- [1] VisLies. <https://www.vislies.org/>, 2021. Last accessed 2021-07-29.
- [2] A. Ayobi, T. Sonne, P. Marshall, and A. L. Cox. Flexible and mindful self-tracking: Design implications from paper bullet journals. In *Proc. ACM CHI*, 2015.
- [3] L. Bartram, M. Correll, and M. Tory. Untidy data: The unreasonable effectiveness of tables. *IEEE TVCG*, 2021.
- [4] T. Baudel. From information visualization to direct manipulation: extending a generic visualization framework for the interactive editing of large datasets. In *Proc. UIST*, pp. 67–76, 2006.
- [5] L. Byrne, D. Angus, and J. Wiles. Acquired codes of meaning in data visualization and infographics: Beyond perceptual primitives. *IEEE TVCG*, 22(1):509–518, 2015.
- [6] S. Card, J. Mackinlay, and B. Shneiderman. *Readings in information visualization: using vision to think*. Morgan Kaufmann, 1999.
- [7] E. Chi and J. T. Riedl. An operator interaction framework for visualization systems. In *Proc. IEEE InfoVis*, pp. 63–70. IEEE, 1998.
- [8] D. Diderot and J. L. R. d'Alembert. *Encyclopédie, ou, Dictionnaire raisonné des sciences, des arts et des métiers*. University of Chicago: ARTFL Encyclopédie Project (Spring 2021 Edition).
- [9] A. Diehl, A. Abdul-Rahman, M. El-Assady, B. Bach, D. A. Keim, and M. Chen. VisGuides: A forum for discussing visualization guidelines. In *EuroVis (Short Papers)*, pp. 61–65, 2018.
- [10] P. Dragicevic and Y. Jansen. List of physical visualizations. [data-phys.org/list/tags/participatory](https://data-phys.org/list/tags/participatory), 2012. Last accessed 2021-07-18.
- [11] P. Dragicevic, Y. Jansen, and A. Vande Moere. Data Physicalization. In J. Vanderdonck, ed., *Springer Handbook of Human Computer Interaction*, Springer Reference. Springer, 2021.
- [12] J. Drucker. Humanities approaches to graphical display. *Digital Humanities Quarterly*, 5(1):1–21, 2011.
- [13] Framacloud. Framadate. [framadate](https://framadate.org/), 2012. Last accessed 2021-07-18.
- [14] P. Gourlet and T. Dassé. Cairn: A tangible apparatus for situated data collection, visualization and analysis. In *Proc. ACM DIS*, pp. 247–258, 2017.
- [15] J. Heer and B. Shneiderman. Interactive dynamics for visual analysis. *Communications of the ACM*, 55(4):45–54, 2012.
- [16] J. M. Hellerstein. Quantitative data cleaning for large databases. *United Nations Economic Commission for Europe (UNECE)*, 25, 2008.
- [17] S. Huron, S. Carpendale, A. Thudt, A. Tang, and M. Mauere. Constructive visualization. In *Proc. ACM DIS*, pp. 433–442, 2014.
- [18] S. Huron, P. Isenberg, and J. D. Fekete. PolemicTweet: Video annotation and analysis through tagged tweets. In *IFIP Conference on Human-Computer Interaction*, pp. 135–152. Springer, 2013.
- [19] Y. Jansen and P. Dragicevic. An interaction model for visualizations beyond the desktop. *IEEE TVCG*, 19(12):2396–2405, 2013.
- [20] S. Kandel, J. Heer, C. Plaisant, J. Kennedy, F. Van Ham, N. H. Riche, C. Weaver, B. Lee, D. Brodbeck, and P. Buono. Research directions in data wrangling: Visualizations and transformations for usable and credible data. *Information Visualization*, 10(4):271–288, 2011.
- [21] D. A. Keim, F. Mansmann, J. Schneidewind, and H. Ziegler. Challenges in visual data analysis. In *International Conference on Information Visualisation (IV'06)*, pp. 9–16. IEEE, 2006.
- [22] Y.-S. Kim, K. Reinecke, and J. Hullman. Explaining the gap: Visualizing one's predictions improves recall and comprehension of data. In *Proc. ACM CHI*, pp. 1375–1386, 2017.
- [23] L. Koeman, V. Kalnikaitė, and Y. Rogers. “Everyone Is Talking about It!” a distributed approach to urban voting technology and visualisations. In *Proc. ACM CHI*, pp. 3127–3136, 2015.
- [24] B. Kondo and C. Collins. Dimpvis: Exploring time-varying information visualizations by direct manipulation. *IEEE TVCG*, 20(12):2003–2012, 2014.
- [25] D. Kosminsky, J. Walny, J. Vermeulen, S. Knudsen, W. Willett, and S. Carpendale. Belief at first sight: Data visualization and the rationalization of seeing. *Information Design Journal*, 25(1):43–55, 2019.
- [26] T. Kriplean, J. Morgan, D. Freelon, A. Borning, and L. Bennett. Supporting reflective public thought with considerit. In *Proc. ACM CSCW*, pp. 265–274, 2012.
- [27] B. Latour. *Pensée retenue, pensée distribuée*. Albin Michel, 2007.
- [28] H. Michael. On LEGO powered time-tracking; my daily column. [web.archive.org/web/20170421133649/http://jexp.de/blog/2008/08/on-lego-powered-time-tracking-my-daily-column/](https://web.archive.org/web/20170421133649/http://jexp.de/blog/2008/08/on-lego-powered-time-tracking-my-daily-column/), 2008. Last accessed 2017-04-21.
- [29] D. Offenhuber. Data by proxy—material traces as autographic visualizations. *IEEE TVCG*, 26(1):98–108, 2019.
- [30] C. Perin, R. Vuilleumot, and J.-D. Fekete. À table! improving temporal navigation in soccer ranking tables. In *Proc. ACM CHI*, pp. 887–896, 2014.
- [31] B. Saket, S. Huron, C. Perin, and A. Endert. Investigating direct manipulation of graphical encodings as a method for user interaction. *IEEE TVCG*, 26(1):482–491, 2019.
- [32] B. Shneiderman and P. Maes. Direct manipulation vs. interface agents. *interactions*, 4(6):42–61, 1997.
- [33] H. Stiegler and M. D. de Jong. Facilitating personal deliberation online: Immediate effects of two considerit variations. *Computers in Human Behavior*, 51:461–469, 2015. doi: 10.1016/j.chb.2015.05.018
- [34] S. R. Thielke and A. Højmoose. Daily stack. [ciid.dk/education/portfolio/idp09/courses/tangible-user-interface/projects/daily-stack/](https://ciid.dk/education/portfolio/idp09/courses/tangible-user-interface/projects/daily-stack/), 2008. Last accessed 2017-04-21.
- [35] A. Thudt, U. Hinrichs, S. Huron, and S. Carpendale. Self-reflection and personal physicalization construction. In *Proc. ACM CHI*, pp. 1–13, 2018.
- [36] E. Tufte. *The Visual Display of Quantitative Information*. Graphics Press, 2001.
- [37] N. Valkanova, R. Walter, A. Vande Moere, and J. Müller. Myposition: sparking civic discourse by a public interactive poll visualization. In *Proc. ACM CSCW*, pp. 1323–1332, 2014.
- [38] Vitamins. Bit planner. [www.bit-planner.com](http://www.bit-planner.com), 2012. Last accessed 2021-07-18.
- [39] J. S. Yi, Y. ah Kang, J. Stasko, and J. A. Jacko. Toward a deeper understanding of the role of interaction in information visualization. *IEEE TVCG*, 13(6):1224–1231, 2007.